

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
PV 50583953

Blatt Sheet
0020

Ihr Zeichen Client Reference
W.W.

Unser Zeichen Our Reference
01-AZ-CN23T81E 007

Ausstellungsdatum Date of Issue
08.04.2024 (day/mo/yr)

Genehmigungsinhaber License Holder
Hengdian Group DMEGC Magnetics
Co., Ltd.
Hengdian Industrial Zone
Dongyang City
322118 Zhejiang
P.R. China

Fertigungsstätte Manufacturing Plant
Refer to latest revision
of the annex list of factories

Prüfzeichen Test Mark



IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance

www.tuv.com
ID 1111268458

Geprüft nach Tested acc. to
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Same as Page 0001-0019

In addition:

Type Designation:


Max. System Voltage: up to 1500 VDC (Voc at STC):

With 1/2 cut mono bifacial c-Si cells (Under STC):

DMxxxM10RT-B60HSW (xxx=475-500, in steps of 5, 120 cells)
DMxxxM10RT-B60HBW (xxx=475-500, in steps of 5, 120 cells)
DMxxxM10RT-B60HST (xxx=475-500, in steps of 5, 120 cells)
DMxxxM10RT-B60HBT (xxx=475-500, in steps of 5, 120 cells)
DMxxxM10RT-B60HBB (xxx=475-500, in steps of 5, 120 cells)
DMxxxM10RT-B60HBS (xxx=475-500, in steps of 5, 120 cells)
DMxxxM10RT-B60HSS (xxx=475-500, in steps of 5, 120 cells)
GHxxxM10RT-B60HSW (xxx=475-500, in steps of 5, 120 cells)
GHxxxM10RT-B60HBW (xxx=475-500, in steps of 5, 120 cells)
GHxxxM10RT-B60HST (xxx=475-500, in steps of 5, 120 cells)
GHxxxM10RT-B60HBT (xxx=475-500, in steps of 5, 120 cells)
GHxxxM10RT-B60HBB (xxx=475-500, in steps of 5, 120 cells)
GHxxxM10RT-B60HBS (xxx=475-500, in steps of 5, 120 cells)
GHxxxM10RT-B60HSS (xxx=475-500, in steps of 5, 120 cells)
DMxxxG12RT-B66HSW (xxx=595-615, in steps of 5, 132 cells)
DMxxxG12RT-B66HBW (xxx=595-615, in steps of 5, 132 cells)

Continued on Page 0021

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product
fulfills above mentioned requirements, the production is subject to surveillance.



Zertifizierungsstelle

Dipl.-Ing. (FH) Tim Kirschner

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
PV 50583953

Blatt Sheet
0021

Ihr Zeichen Client Reference
W.W.

Unser Zeichen Our Reference
01-AZ-CN23T81E 007

Ausstellungsdatum Date of Issue
08.04.2024 (day/mo/yr)

Genehmigungsinhaber License Holder
Hengdian Group DMEGC Magnetics
Co., Ltd.
Hengdian Industrial Zone
Dongyang City
322118 Zhejiang
P.R. China

Fertigungsstätte Manufacturing Plant
Refer to latest revision
of the annex list of factories

Prüfzeichen Test Mark



IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance

www.tuv.com
ID 1111268458

Geprüft nach Tested acc. to
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit


PV Module

Continuation of Page 0020

DMxxxG12RT-B66HST (xxx=595-615, in steps of 5, 132 cells)
DMxxxG12RT-B66HBT (xxx=595-615, in steps of 5, 132 cells)
DMxxxG12RT-B66HBB (xxx=595-615, in steps of 5, 132 cells)
DMxxxG12RT-B66HBS (xxx=595-615, in steps of 5, 132 cells)
DMxxxG12RT-B66HSS (xxx=595-615, in steps of 5, 132 cells)
GHxxxG12RT-B66HSW (xxx=595-615, in steps of 5, 132 cells)
GHxxxG12RT-B66HBW (xxx=595-615, in steps of 5, 132 cells)
GHxxxG12RT-B66HST (xxx=595-615, in steps of 5, 132 cells)
GHxxxG12RT-B66HBT (xxx=595-615, in steps of 5, 132 cells)
GHxxxG12RT-B66HBB (xxx=595-615, in steps of 5, 132 cells)
GHxxxG12RT-B66HBS (xxx=595-615, in steps of 5, 132 cells)
GHxxxG12RT-B66HSS (xxx=595-615, in steps of 5, 132 cells)
DMxxxM10T-G78HBB (xxx=590-640, in steps of 5, 156 cells)
DMxxxM10T-G78HSW (xxx=590-640, in steps of 5, 156 cells)
DMxxxM10T-G78HBW (xxx=590-640, in steps of 5, 156 cells)
DMxxxM10T-G72HBB (xxx=535-585, in steps of 5, 144 cells)
DMxxxM10T-G72HSW (xxx=535-585, in steps of 5, 144 cells)
DMxxxM10T-G72HBW (xxx=535-585, in steps of 5, 144 cells)
DMxxxM10T-G66HBB (xxx=500-540, in steps of 5, 132 cells)
DMxxxM10T-G66HSW (xxx=500-540, in steps of 5, 132 cells)
DMxxxM10T-G66HBW (xxx=500-540, in steps of 5, 132 cells)

Continued on Page 0022

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product
fulfills above mentioned requirements, the production is subject to surveillance.



Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

Dipl.-Ing. (FH) Tim Kirschner

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
PV 50583953

Blatt Sheet
0022

Ihr Zeichen Client Reference
W.W.

Unser Zeichen Our Reference
01-AZ-CN23T81E 007

Ausstellungsdatum Date of Issue
08.04.2024 (day/mo/yr)

Genehmigungsinhaber License Holder
Hengdian Group DMEGC Magnetics
Co., Ltd.
Hengdian Industrial Zone
Dongyang City
322118 Zhejiang
P.R. China

Fertigungsstätte Manufacturing Plant
Refer to latest revision
of the annex list of factories

Prüfzeichen Test Mark



IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance

www.tuv.com
ID 1111268458

Geprüft nach Tested acc. to
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0021

DMxxxM10T-G60HBB (xxx=450-490, in steps of 5, 120 cells)
DMxxxM10T-G60HSW (xxx=450-490, in steps of 5, 120 cells)
DMxxxM10T-G60HBW (xxx=450-490, in steps of 5, 120 cells)
DMxxxM10T-G54HBB (xxx=405-440, in steps of 5, 108 cells)
DMxxxM10T-G54HSW (xxx=405-440, in steps of 5, 108 cells)
DMxxxM10T-G54HBW (xxx=405-440, in steps of 5, 108 cells)
DMxxxM10T-G54HBB-L (xxx=405-440, in steps of 5, 108 cells)
DMxxxM10T-G54HSW-L (xxx=405-440, in steps of 5, 108 cells)
DMxxxM10T-G54HBW-L (xxx=405-440, in steps of 5, 108 cells)
GHxxxM10T-G72HBB (xxx=535-585, in steps of 5, 144 cells)
GHxxxM10T-G72HSW (xxx=535-585, in steps of 5, 144 cells)
GHxxxM10T-G72HBW (xxx=535-585, in steps of 5, 144 cells)
GHxxxM10T-G66HBB (xxx=500-540, in steps of 5, 132 cells)
GHxxxM10T-G66HSW (xxx=500-540, in steps of 5, 132 cells)
GHxxxM10T-G66HBW (xxx=500-540, in steps of 5, 132 cells)
GHxxxM10T-G60HBB (xxx=450-490, in steps of 5, 120 cells)
GHxxxM10T-G60HSW (xxx=450-490, in steps of 5, 120 cells)
GHxxxM10T-G60HBW (xxx=450-490, in steps of 5, 120 cells)
GHxxxM10T-G54HBB (xxx=405-440, in steps of 5, 108 cells)
GHxxxM10T-G54HSW (xxx=405-440, in steps of 5, 108 cells)
GHxxxM10T-G54HBW (xxx=405-440, in steps of 5, 108 cells)

Continued on Page 0023

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product
fulfills above mentioned requirements, the production is subject to surveillance.



Zertifizierungsstelle

Dipl.-Ing. (FH) Tim Kirschner

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
PV 50583953

Blatt Sheet
0023

Ihr Zeichen Client Reference
W.W.

Unser Zeichen Our Reference
01-AZ-CN23T81E 007

Ausstellungsdatum Date of Issue
08.04.2024 (day/mo/yr)

Genehmigungsinhaber License Holder
Hengdian Group DMEGC Magnetics
Co., Ltd.
Hengdian Industrial Zone
Dongyang City
322118 Zhejiang
P.R. China

Fertigungsstätte Manufacturing Plant
Refer to latest revision
of the annex list of factories

Prüfzeichen Test Mark



IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance

www.tuv.com
ID 1111268458

Geprüft nach Tested acc. to
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0022

DMxxxM10RT-G54HBB (xxx=425-455, in steps of 5, 108 cells)

DMxxxM10RT-G54HSW (xxx=425-455, in steps of 5, 108 cells)

DMxxxM10RT-G54HBW (xxx=425-455, in steps of 5, 108 cells)

DMxxxM10RT-G54HBB-L

(xxx=425-455, in steps of 5, 108 cells)

DMxxxM10RT-G54HSW-L

(xxx=425-455, in steps of 5, 108 cells)

DMxxxM10RT-G54HBW-L

(xxx=425-455, in steps of 5, 108 cells)

GHxxxM10RT-G54HBB (xxx=425-455, in steps of 5, 108 cells)

GHxxxM10RT-G54HSW (xxx=425-455, in steps of 5, 108 cells)

GHxxxM10RT-G54HBW (xxx=425-455, in steps of 5, 108 cells)

DMxxxG12RT-G66HSW (xxx=595-615, in steps of 5, 132 cells)

DMxxxG12RT-G66HBW (xxx=595-615, in steps of 5, 132 cells)

DMxxxG12RT-G66HBB (xxx=595-615, in steps of 5, 132 cells)

GHxxxG12RT-G66HSW (xxx=595-615, in steps of 5, 132 cells)

GHxxxG12RT-G66HBW (xxx=595-615, in steps of 5, 132 cells)

GHxxxG12RT-G66HBB (xxx=595-615, in steps of 5, 132 cells)


With 1/2 cut mono bifacial c-Si cells (Under BNPI):

DMxxxM10RT-B60HSW (xxx=523, 528, 534, 539, 545, 550, 120 cells)

DMxxxM10RT-B60HBW (xxx=523, 528, 534, 539, 545, 550, 120 cells)

Continued on Page 0024

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product
fulfills above mentioned requirements, the production is subject to surveillance.



Zertifizierungsstelle

Dipl.-Ing. (FH) Tim Kirschner

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
PV 50583953

Blatt *Sheet*
0024

Ihr Zeichen *Client Reference*
W.W.

Unser Zeichen *Our Reference*
01-AZ-CN23T81E 007

Ausstellungsdatum *Date of Issue*
08.04.2024 (day/mo/yr)

Genehmigungsinhaber *License Holder*
Hengdian Group DMEGC Magnetics
Co., Ltd.
Hengdian Industrial Zone
Dongyang City
322118 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*



IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
www.tuv.com
ID 1111268458

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0023

DMxxxM10RT-B60HST (xxx=523, 528, 534, 539, 545, 550, 120 cells)
DMxxxM10RT-B60HBT (xxx=523, 528, 534, 539, 545, 550, 120 cells)
DMxxxM10RT-B60HBB (xxx=523, 528, 534, 539, 545, 550, 120 cells)
DMxxxM10RT-B60HBS (xxx=523, 528, 534, 539, 545, 550, 120 cells)
DMxxxM10RT-B60HSS (xxx=523, 528, 534, 539, 545, 550, 120 cells)
GHxxxM10RT-B60HSW (xxx=523, 528, 534, 539, 545, 550, 120 cells)
GHxxxM10RT-B60HBW (xxx=523, 528, 534, 539, 545, 550, 120 cells)
GHxxxM10RT-B60HST (xxx=523, 528, 534, 539, 545, 550, 120 cells)
GHxxxM10RT-B60HBT (xxx=523, 528, 534, 539, 545, 550, 120 cells)
GHxxxM10RT-B60HBB (xxx=523, 528, 534, 539, 545, 550, 120 cells)
GHxxxM10RT-B60HBS (xxx=523, 528, 534, 539, 545, 550, 120 cells)
GHxxxM10RT-B60HSS (xxx=523, 528, 534, 539, 545, 550, 120 cells)
DMxxxG12RT-B66HSW (xxx=655, 660, 666, 671, 677, 132 cells)
DMxxxG12RT-B66HBW (xxx=655, 660, 666, 671, 677, 132 cells)
DMxxxG12RT-B66HST (xxx=655, 660, 666, 671, 677, 132 cells)
DMxxxG12RT-B66HBT (xxx=655, 660, 666, 671, 677, 132 cells)
DMxxxG12RT-B66HBB (xxx=655, 660, 666, 671, 677, 132 cells)
DMxxxG12RT-B66HBS (xxx=655, 660, 666, 671, 677, 132 cells)
DMxxxG12RT-B66HSS (xxx=655, 660, 666, 671, 677, 132 cells)
GHxxxG12RT-B66HSW (xxx=655, 660, 666, 671, 677, 132 cells)
GHxxxG12RT-B66HBW (xxx=655, 660, 666, 671, 677, 132 cells)

Continued on Page 0025

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product
fulfills above mentioned requirements, the production is subject to surveillance.



Zertifizierungsstelle

Dipl.-Ing. (FH) Tim Kirschner

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
PV 50583953

Blatt Sheet
0025

Ihr Zeichen Client Reference
W.W.

Unser Zeichen Our Reference
01-AZ-CN23T81E 007

Ausstellungsdatum Date of Issue
08.04.2024 (day/mo/yr)

Genehmigungsinhaber License Holder
Hengdian Group DMEGC Magnetics
Co., Ltd.
Hengdian Industrial Zone
Dongyang City
322118 Zhejiang
P.R. China

Fertigungsstätte Manufacturing Plant
Refer to latest revision
of the annex list of factories

Prüfzeichen Test Mark



IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance

www.tuv.com
ID 1111268458

Geprüft nach Tested acc. to
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0024

GHxxxG12RT-B66HST (xxx=655, 660, 666, 671, 677, 132 cells)
GHxxxG12RT-B66HBT (xxx=655, 660, 666, 671, 677, 132 cells)
GHxxxG12RT-B66HBB (xxx=655, 660, 666, 671, 677, 132 cells)
GHxxxG12RT-B66HBS (xxx=655, 660, 666, 671, 677, 132 cells)
GHxxxG12RT-B66HSS (xxx=655, 660, 666, 671, 677, 132 cells)

Extension power range for below model types:

With 1/2 cut mono bifacial c-Si cells (Under STC):

DMxxxM10RT-B54HSW (xxx=450, 108 cells)
DMxxxM10RT-B54HBW (xxx=450, 108 cells)
DMxxxM10RT-B54HST (xxx=450, 108 cells)
DMxxxM10RT-B54HBT (xxx=450, 108 cells)
DMxxxM10RT-B54HBB (xxx=450, 108 cells)
DMxxxM10RT-B54HBS (xxx=450, 108 cells)
DMxxxM10RT-B54HSS (xxx=450, 108 cells)
DMxxxM10RT-B54HSW-L (xxx=450, 108 cells)
DMxxxM10RT-B54HBW-L (xxx=450, 108 cells)
DMxxxM10RT-B54HST-L (xxx=450, 108 cells)
DMxxxM10RT-B54HBT-L (xxx=450, 108 cells)
DMxxxM10RT-B54HBB-L (xxx=450, 108 cells)
DMxxxM10RT-B54HBS-L (xxx=450, 108 cells)
DMxxxM10RT-B54HSS-L (xxx=450, 108 cells)

Continued on Page 0026

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product
fulfills above mentioned requirements, the production is subject to surveillance.



Zertifizierungsstelle

Dipl.-Ing. (FH) Tim Kirschner

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
PV 50583953

Blatt Sheet
0026

Ihr Zeichen Client Reference
W.W.

Unser Zeichen Our Reference
01-AZ-CN23T81E 007

Ausstellungsdatum Date of Issue
08.04.2024 (day/mo/yr)

Genehmigungsinhaber License Holder
Hengdian Group DMEGC Magnetics
Co., Ltd.
Hengdian Industrial Zone
Dongyang City
322118 Zhejiang
P.R. China

Fertigungsstätte Manufacturing Plant
Refer to latest revision
of the annex list of factories

Prüfzeichen Test Mark



IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
www.tuv.com
ID 1111268458

Geprüft nach Tested acc. to
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0025

GHxxxM10RT-B54HSW (xxx=450, 108 cells)
GHxxxM10RT-B54HBW (xxx=450, 108 cells)
GHxxxM10RT-B54HST (xxx=450, 108 cells)
GHxxxM10RT-B54HBT (xxx=450, 108 cells)
GHxxxM10RT-B54HBB (xxx=450, 108 cells)
GHxxxM10RT-B54HBS (xxx=450, 108 cells)
GHxxxM10RT-B54HSS (xxx=450, 108 cells)
GHxxxM10RT-B54HSW-L (xxx=450, 108 cells)
GHxxxM10RT-B54HBW-L (xxx=450, 108 cells)
GHxxxM10RT-B54HST-L (xxx=450, 108 cells)
GHxxxM10RT-B54HBT-L (xxx=450, 108 cells)
GHxxxM10RT-B54HBB-L (xxx=450, 108 cells)
GHxxxM10RT-B54HBS-L (xxx=450, 108 cells)
GHxxxM10RT-B54HSS-L (xxx=450, 108 cells)

With 1/2 cut mono bifacial c-Si cells (Under BNPI):

DMxxxM10RT-B54HSW (xxx=495, 108 cells)
DMxxxM10RT-B54HBW (xxx=495, 108 cells)
DMxxxM10RT-B54HST (xxx=495, 108 cells)
DMxxxM10RT-B54HBT (xxx=495, 108 cells)
DMxxxM10RT-B54HBB (xxx=495, 108 cells)
DMxxxM10RT-B54HBS (xxx=495, 108 cells)

Continued on Page 0027

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product
fulfills above mentioned requirements, the production is subject to surveillance.



Zertifizierungsstelle

Dipl.-Ing. (FH) Tim Kirschner

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
PV 50583953

Blatt Sheet
0027

Ihr Zeichen Client Reference
W.W.

Unser Zeichen Our Reference
01-AZ-CN23T81E 007

Ausstellungsdatum Date of Issue
08.04.2024 (day/mo/yr)

Genehmigungsinhaber License Holder
Hengdian Group DMEGC Magnetics
Co., Ltd.
Hengdian Industrial Zone
Dongyang City
322118 Zhejiang
P.R. China

Fertigungsstätte Manufacturing Plant
Refer to latest revision
of the annex list of factories

Prüfzeichen Test Mark



IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
www.tuv.com
ID 1111268458

Geprüft nach Tested acc. to
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0026
DMxxxM10RT-B54HSS (xxx=495, 108 cells)
DMxxxM10RT-B54HSW-L (xxx=495, 108 cells)
DMxxxM10RT-B54HBW-L (xxx=495, 108 cells)
DMxxxM10RT-B54HST-L (xxx=495, 108 cells)
DMxxxM10RT-B54HBT-L (xxx=495, 108 cells)
DMxxxM10RT-B54HBB-L (xxx=495, 108 cells)
DMxxxM10RT-B54HBS-L (xxx=495, 108 cells)
DMxxxM10RT-B54HSS-L (xxx=495, 108 cells)
GHxxxM10RT-B54HSW (xxx=495, 108 cells)
GHxxxM10RT-B54HBW (xxx=495, 108 cells)
GHxxxM10RT-B54HST (xxx=495, 108 cells)
GHxxxM10RT-B54HBT (xxx=495, 108 cells)
GHxxxM10RT-B54HBB (xxx=495, 108 cells)
GHxxxM10RT-B54HBS (xxx=495, 108 cells)
GHxxxM10RT-B54HSS (xxx=495, 108 cells)
GHxxxM10RT-B54HSW-L (xxx=495, 108 cells)
GHxxxM10RT-B54HBW-L (xxx=495, 108 cells)
GHxxxM10RT-B54HST-L (xxx=495, 108 cells)
GHxxxM10RT-B54HBT-L (xxx=495, 108 cells)
GHxxxM10RT-B54HBB-L (xxx=495, 108 cells)
GHxxxM10RT-B54HBS-L (xxx=495, 108 cells)
Continued on Page 0028

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product
fulfills above mentioned requirements, the production is subject to surveillance.



Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

Dipl.-Ing. (FH) Tim Kirschner

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
PV 50583953

Blatt Sheet
0028

Ihr Zeichen Client Reference
W.W.

Unser Zeichen Our Reference
01-AZ-CN23T81E 007

Ausstellungsdatum Date of Issue
08.04.2024 (day/mo/yr)

Genehmigungsinhaber License Holder
Hengdian Group DMEGC Magnetics
Co., Ltd.
Hengdian Industrial Zone
Dongyang City
322118 Zhejiang
P.R. China

Fertigungsstätte Manufacturing Plant
Refer to latest revision
of the annex list of factories

Prüfzeichen Test Mark



IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
www.tuv.com
ID 1111268458

Geprüft nach Tested acc. to
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0027
GHxxxM10RT-B54HSS-L (xxx=495, 108 cells)
xxx represents output power in Wp

Remarks:

- Manufacturing plant update: see annex.

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product
fulfills above mentioned requirements, the production is subject to surveillance.



Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

Dipl.-Ing. (FH) Tim Kirschner

Anlage Fertigungsstättenliste
/Attachment List of Factories



PV 50583953 0001

Anlagenrevision / Annex revision

2

1 Jiangsu Dongci New Energy Technology
Co., Ltd.
Sihong County Economic Development Zone,
Sihong County, Suqian City,
Jiangsu
P.R. China

2 Lianyungang DMEGC New Energy
Technology Co.,Ltd.
No. 5 Yongan Road,
Ganyu Economic Development Zone,
Lianyungang City,
Jiangsu
P.R. China

3 DMEGC SOLAR Module Factory
Hengdian Industrial Zone,
Dongyang City
Zhejiang
P.R. China




TÜVRheinland®

Dieser Anhang ersetzt den Vorgänger vom/
This annex replaces the previous annex dated

Datum / Date 26.04.2023



Zertifizierungsstelle
/ Certification Body


Dipl.-Ing. (FH) Tim Kirschner

Hengdian Group DMEGC Magnetics Co.,
Ltd.
Wang Wei

Date : 08.04.2024
Our ref. : AZ 01
Your ref.: W.W.

Hengdian Industrial Zone
Dongyang City
322118 Zhejiang
P.R. China

Ref : PV Photovoltaic Modules

Type of Equipment : PV Module
Model Designation : See Certificate
Certificate No. : PV 50583953 0020
Report No. : CN23T81E 007

Dear Wang Wei,

Thank you very much for your interest in our services.

Please find enclosed your certification documents.

We appreciate your support and would like to offer our assistance in the approval of your future products through our extensive range of technical services.

Please feel free to contact us whatever your requirements may be.

With kind regards,
Certification Body


Dipl.-Ing. (FH) Tim Kirschner

cc: Hengdian Group DMEGC Magnetics

Enclosure

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询